

Package: verhoeff (via r-universe)

September 5, 2024

Type Package

Title Implementation of the 'Verhoeff' Check Digit Algorithm

Version 0.4.0.9000

Author Conor Neilson

Maintainer Conor Neilson <condwanaland@gmail.com>

Description An implementation of the 'Verhoeff' algorithm for calculating check digits (Verhoeff, J. (1969) <[doi:10.1002/zamm.19710510323](https://doi.org/10.1002/zamm.19710510323)>). Functions are provided to calculate a check digit given an input number, calculate and append a check digit to an input number, and validate that a check digit is correct given an input number.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Suggests testthat, dplyr

Repository <https://condwanaland.r-universe.dev>

RemoteUrl <https://github.com/condwanaland/verhoeff>

RemoteRef HEAD

RemoteSha bf6658d4e48d1a224a9f766522bfbcb670e3e5b7b

Contents

calculate_digit	2
prepare_number	2
verhoeff_append	3
verhoeff_calculate	3
verhoeff_validate	4

Index	5
--------------	----------

calculate_digit	<i>calculate_digit</i>
-----------------	------------------------

Description

Calculates a single Verhoeff Check Digit. This function is exported, but it would usually be called from one of the 'verhoeff_*' wrapper functions

Usage

```
calculate_digit(number, d5, d5_p, inv_v)
```

Arguments

number	A number you want to calculate the check digit for
d5	The verhoeff d5 matrix. Retrievable with create_verhoeff_matrices()\$d5
d5_p	The verhoeff p matrix. Retrievable with create_verhoeff_matrices()\$d5_p
inv_v	The verhoeff inv matrix. Retrievable with create_verhoeff_matrices()\$inv_v

Value

A single integer

Examples

```
dat <- verhoeff::create_verhoeff_matrices()
calculate_digit(5, dat$d5, dat$d5_p, dat$inv_v)
```

prepare_number	<i>prepare_number</i>
----------------	-----------------------

Description

Takes a number and prepares it for input to the verhoeff algorithm by reversing it

Usage

```
prepare_number(number)
```

Arguments

number	A single number that can be coerced to numeric
--------	--

Value

A numeric vector of length equal to number of digits in the input

Examples

```
prepare_number(1234)
```

verhoeff_append	<i>verhoeff_append</i>
-----------------	------------------------

Description

Return a number with its check digit appended

Usage

```
verhoeff_append(number, sep = "-")
```

Arguments

number	The number to calculate a check digit for
sep	A separator for the two numbers

Value

Numeric vector of length equal to its input

Examples

```
verhoeff::verhoeff_append(123)
```

verhoeff_calculate	<i>verhoeff_calculate</i>
--------------------	---------------------------

Description

verhoeff_calculate

Usage

```
verhoeff_calculate(number, as_list = FALSE)
```

Arguments

number	The vector of numbers you want a check digit for
as_list	Return the results as a list? Defaults to false

Value

Vector or list of check digits

Examples

```
verhoeff_calculate(1234)
```

```
verhoeff_validate      verhoeff_validate
```

Description

Enter a number, and an existing check digit. Function will return true if the supplied check digit is a correct verhoeff check digit for the given number

Usage

```
verhoeff_validate(number, check_digit)
```

Arguments

number	A numerical input
check_digit	An existing check digit for the input number

Value

Logical vector

Examples

```
verhoeff::verhoeff_validate(123, 3)
```

Index

`calculate_digit`, 2

`prepare_number`, 2

`verhoeff_append`, 3

`verhoeff_calculate`, 3

`verhoeff_validate`, 4